

RECEIVED  
CENTRAL FAX CENTER

AUG 14 2006

Appl. No.: 10/711,100  
Amdt. Dated: 8/14/2006  
Reply to Office action of: 06/09/2006

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

1. (currently amended) A radio bin spacer allowing for the mounting of a standard sized radio in a mounting area designed for a larger style radio comprising:  
a bin having one closed rear end and one open end and further having a top wall, a bottom wall and two side walls; said top wall having a structural rib located thereon; said side walls each having a mounting tab located thereon wherein each said mounting tab has a bore located therein; and ~~the~~ said closed rear end of said bin having a pair of spacer stanchions located thereon;  
thereby providing a mounting area sized for a standard radio in a larger radio sized opening in an instrument panel.
2. (original) The radio bin spacer as claimed in Claim 1 wherein, said radio bin spacer is an injection molded plastic.
3. (original) The radio bin spacer as claimed in Claim 2 wherein, said radio spacer bin is injection molded of polypropylene.
4. (original) The radio bin spacer as claimed in Claim 2 wherein, said radio spacer bin is injection molded of thermoplastic olefins (TPO).
5. (original) The radio bin spacer as claimed in Claim 2 wherein, said radio spacer bin is injection molded of acrylonitrile butadiene styrene (ABS).
6. (original) The radio bin spacer as claimed in Claim 2 wherein, said radio spacer bin is injection molded from polypropylene.

Appl. No.: 10/711,100  
Amdt. Dated: 8/14/2006  
Reply to Office action of: 06/09/2006

7. (original) The radio bin spacer as claimed in Claim 2 wherein, said radio spacer bin is injection molded of polycarbonate.
8. (original) The radio bin spacer as claimed in Claim 1 wherein, said radio spacer bin is a cast metal.
9. (original) The radio bin spacer as claimed in Claim 8 wherein, said radio spacer bin is cast from one of the group consisting of magnesium, aluminum, alloys of magnesium, and alloys of aluminum.
10. (currently amended) A radio bin spacer allowing for the mounting of a standard sized radio in a mounting area designed for a larger style radio comprising:  
a bin having one closed rear end and one open end and further having a top wall, a bottom wall and two side walls; said top wall having a structural rib located thereon; said side walls each having a mounting tab located thereon wherein each said mounting tab has a bore located therein; structural ribs located on said side walls adjacent to said mounting tabs; and ~~the~~ said closed rear end of said bin having a pair of spacer stanchions located thereon;  
thereby providing a mounting area sized for a standard radio in a larger radio sized opening in an instrument panel.
11. (original) The radio bin spacer as claimed in Claim 10 wherein, said radio bin spacer is an injection molded plastic.
12. (original) The radio bin spacer as claimed in Claim 11 wherein, said radio spacer bin is injection molded of polypropylene.
13. (original) The radio bin spacer as claimed in Claim 11 wherein, said radio spacer bin is injection molded of thermoplastic olefins (TPO).
14. (original) The radio bin spacer as claimed in Claim 11 wherein, said radio spacer bin is injection molded of acrylonitrile butadiene styrene (ABS).

Appl. No.: 10/711,100  
Amdt. Dated: 8/14/2006  
Reply to Office action of: 06/09/2006

15. (original) The radio bin spacer as claimed in Claim 11 wherein, said radio spacer bin is injection molded of polycarbonate.

16. (original) The radio bin spacer as claimed in Claim 10 wherein, said radio spacer bin is a cast metal.

17. (original) The radio bin spacer as claimed in Claim 16 wherein, said radio spacer bin is cast from one of the group consisting of magnesium, aluminum, alloys of magnesium, and alloys of aluminum.